



COLORADO BIG GAME ACTION PLAN

For

***Implementation of Department of the Interior Secretarial Order 3362:
Improving Habitat Quality in Western Big-Game Winter Range
and Migration Corridors***

2021-2022

September 5, 2022

Executive Summary

Colorado Parks and Wildlife (CPW) has identified five landscape priority areas that will guide efforts by the agency and its partners to implement Department of the Interior (DOI) Secretarial Order 3362 (SO 3362) in 2021-2022 and conserve big game winter range and migration corridors. **Please note that these five priority landscapes are the same as those identified last year.**

Landscape Priority Areas

For Colorado's 2021-2022 Action Plan, we have retained the two landscape priority areas that were identified in the 2018 action plan. These include the areas used by the Bears Ears/White River mule deer (deer) and elk herds in northwest Colorado, and the San Juan Basin mule deer and elk herds in southwest Colorado. Three additional priority areas were identified in 2019, including the Uncompahgre Plateau in southwest Colorado, the Piney River/State Bridge area in north central Colorado and the Book Cliffs area in west-central Colorado.

The Bears Ears/White River mule deer and elk herds are among the largest herds in Colorado. These herds contain about 80,000 deer and 70,000 elk. Although the elk herds are robust, the mule deer herds in the region have been in decline and while at Herd Management Plan (HMP) population objectives, they are well below historic levels. Strategically placed habitat treatments, conservation easements, and highway crossing structures will help to conserve the migration corridors and winter range used by these important herds.

The San Juan Basin provides habitat for about 24,000 mule deer and 24,000 elk, which use various migration routes as they travel across a patchwork of federal, tribal, state and privately-held lands. A portion of these animals migrate south onto Southern Ute Tribal (SUIT) lands and/or across the state boundary into New Mexico during winter months. The San Juan priority landscape has several highway segments identified by the Colorado Department of Transportation for wildlife crossing infrastructure. The region's big game herds will benefit from strategically placed habitat treatment projects, conservation easements, and highway crossing structures.

The Uncompahgre Plateau historically supported as many as 60,000 mule deer and now maintains only about 11,000 mule deer, along with 12,500 elk. Both species have declined in recent years due to poor fawn/calf recruitment rates, which in turn could be attributed to persistent drought, poor habitat condition, forage competition, disease, human development, increasing recreational impacts, and predation. Migration corridors and winter range can be enhanced through projects that incorporate conservation easements, wildlife-friendly fencing, travel management on USFS and BLM lands, habitat improvements and highway crossing structures.

Big game habitat for the 14,800 deer and 4,400 elk within the Piney River/State Bridge area has declined in quantity and quality due to land development, fragmentation by roads and trails, increased human activity on public lands, long-term drought and suppression of large-scale wildfires. The priority landscape would benefit from conservation easements to protect migration corridors and winter ranges, as well as limited recreational activity on winter range. Strategically placed highway crossing structures are also needed to conserve and restore connectivity for migrating wildlife. Well-designed and strategically placed habitat treatment projects are recommended to improve the forage quality and capacity of winter range within this area.

The Book Cliffs area supports about 8,600 mule deer and 5,000 elk. Both deer and elk migrate in elevation with the seasons. Portions of each herd migrate relatively long distances west, crossing state lines to spend the winter months in Utah. BLM lands are important winter range for both species; thus CPW collaborates with BLM to support efforts to minimize and mitigate the negative effects of developments and recreational activities on migrating big game. The protection of private lands is also an important conservation action within migration corridors and winter range through conservation easements, and strategically identifying habitat enhancement projects to counteract the effects of livestock grazing and improve forage quality for wintering deer and elk.

Table of Contents

<u>Introduction</u>	4
<u>Landscape Priority Areas</u>	5
#1 Colorado Landscape Priority Area: Bears Ears and White River (Northwest Colorado)...	8
#2 Colorado Landscape Priority Area: San Juan Basin (Southwest Colorado).....	19
#3 Colorado Landscape Priority Area: Uncompahgre Plateau (West-Central Colorado)....	23
#4 Colorado Landscape Priority Area: Piney River/State Bridge (Northwest Colorado).....	32
#5 Colorado Landscape Priority Area: Book Cliffs (West-Central Colorado).....	41
<u>Appendices</u>	50
Appendix A: Secretarial Order 3362 Priority Landscape and Colorado Big Game Winter Range).....	51
Appendix B: Department of the Interior Secretarial Order 3362: Improving Habitat Quality in Western Big-Game Winter Range and Migration Corridors.....	53

Introduction

Secretarial Order 3362 (SO 3362 - Appendix A) directs appropriate bureaus (US Fish and Wildlife Service (USFWS), National Park Service (NPS), and Bureau of Land Management (BLM)) within the Department of the Interior (DOI) to work in close partnership with the State of Colorado to enhance and improve the quality of big-game winter range and migration corridor habitat on federal lands under the jurisdiction of the DOI in a way that recognizes state authority to conserve and manage big-game species and respects private property rights. Through scientific endeavors and land management actions, wildlife such as Rocky Mountain elk (elk), mule deer, pronghorn antelope (pronghorn), and a host of other species will benefit.

Deer and elk need the ability to move between important summer and winter ranges using connected and permeable migration habitat. The largest and most productive deer populations in the West are migratory. Development and barriers that disrupt migration can have a direct bearing on an individual animal's health, survival and reproductive success. Conditions in the broader landscape may influence the function of migration corridors and sustainability of big game populations. Such conditions may include habitat fragmentation, land use patterns, resource management, or urbanization. The United States Department of Agriculture (USDA), through the USDA Forest Service (USFS) and USDA Natural Resource Conservation Service (NRCS), will collaborate with DOI, the states, and other natural resource managers across the broader landscape when developing an all-lands approach to research, planning, and management for ecological resources, to include migration corridors, in a manner that promotes the welfare and populations of elk, deer, and pronghorn, as well as the ecological integrity of terrestrial ecosystems in the plan area.

Similarly to SO 3362, Colorado Executive Order D 2019 011 (E.O.), *Conserving and Restoring Colorado's Big Game Winter Range and Migration Corridors*¹, issued by Governor Jared Polis in 2019, elevated the state's priority to conserve sensitive habitat and connectivity for mule deer, elk and pronghorn, as well as bighorn sheep. A status report, *Big Game Winter Range and Migration Corridors*², completed in 2020 by Colorado Parks and Wildlife (CPW) in response to a directive in the E.O. outlines recommended conservation actions associated with specific threats to Colorado's big game populations, many of which involve coordination with federal land management agencies and other partners. These threats include: development pressures associated with human population growth; increased recreation and visitation; climate-influenced drought, catastrophic events, and habitat alteration; loss of native vegetation; energy and mineral development;

¹ Colorado Parks and Wildlife Commission (PWC), Resolution 19-01, Regarding Support for Governor Polis' executive Order D 2019-011: Conserving Colorado's Big Game Winter Ranges and Migration Corridors (November 15, 2019).

² C.P. Cooley et al. 2020. Colorado Parks and Wildlife, *Status Report: Big Game Winter Range and Migration Corridors*.

forage competition with feral and domestic livestock; and transportation conflicts. Also, in response to the E.O., the Colorado Department of Natural Resources (DNR) with other contributors published a policy report in 2021, *Opportunities to Improve Sensitive Habitat and Movement Route Connectivity for Colorado's Big Game Species*³. The goal of this report was to identify, evaluate, and recommend priorities for a range of regulatory, policy, and legislative approaches to ensure the health of Colorado's big game herds.

In 2014, CPW developed the *Colorado West Slope Mule Deer Strategy*⁴ (WSMDS) report that identified a list of issues affecting mule deer populations in Colorado. Those issues included: habitat quality, habitat quantity, predation, weather, highway mortality, disease, competition with elk, recreation impacts, barriers to movement, and hunting demands on doe harvest. Habitat quality and quantity issues are further subdivided into poor forage conditions, large-scale type conversion of habitat, loss of habitat to oil and gas and other energy development, and residential expansion.

Colorado has approximately 66,387,200 total acres, 23,541,190 or 35% of which are owned by the federal government. The BLM manages 8,354,660 acres, the USFS manages 14,509,180 acres and the NPS manages 596,700 acres. Other agencies manage the rest of federal ownership. The State of Colorado owns approximately 2,917,700 acres. There are also privately owned land parcels scattered throughout big game habitats. This ownership structure requires cooperative partnerships to work effectively across all the habitat categories and ownerships for big game species.

Landscape Priority Areas

CPW identified five landscape priority areas in the state for elk and mule deer herds in 2022. These include the Bears Ears/White River herds in northwest Colorado, San Juan Basin herds in southwest Colorado, the Uncompahgre Plateau in southwest, Piney River/State Bridge herds in north-central Colorado and the Book Cliffs herd in west-central Colorado. Over the years, CPW managers have deployed GPS-collars on deer in three of the areas (Bears Ears/White River, Uncompahgre and San Juan Basin) and two of the elk landscapes (Bears Ears/White River and San Juan Basin). These priority landscapes and their respective GPS movement data represent a partial sampling effort and should not be considered the full big game migration pattern. Managers continue to work with stakeholders and agency personnel to identify related research and proactive conservation actions directed toward conserving vital habitats in these five priority landscapes.

³ Colorado Department of Natural Resources and Colorado Department of Transportation.. 2021. *Opportunities to Improve Sensitive Habitat and Movement Route Connectivity for Colorado's Big Game Species*.

⁴ Colorado Parks and Wildlife. 2014. *Colorado West Slope Mule Deer Strategy*.

Colorado has some of the best habitat for elk and mule deer in the West, these areas also provide valuable habitat for numerous species including sage-grouse. These big game populations and other wildlife species face the same threats as many other places in the west: habitat fragmentation, habitat degradation and loss, and increased disturbance from human activity, all compounded by the long-term effects of climate change. CPW has reduced the overall number of big game hunting license numbers as a result of declining populations in many herds. For instance, the current statewide post-hunt mule deer population estimate of 416,000 deer is well below the population objective range of 438,000-520,000. In 2021, 18 of 54 (33%) mule deer herds were below their population objective ranges. These declines have occurred primarily in the largest, westernmost herds in the state. Examples include a two-thirds reduction in the size of the White River herd (D-7), once the nation's largest, from over 100,000 in 2005 to roughly 32,000 today, while the Uncompahgre herd (D-19), once one of the largest deer herds in Colorado, has declined from approximately 60,000 deer in the 1980s to only about 10,000 in 2021. Western Colorado has historically supported some of the largest mule deer herds in the state and across the western United States, such that these declines are of both statewide and regional significance.

Projected human population growth and increased tourism heightens the impact of these threats. Threats from increasing human populations include the development and fragmentation of habitat, disturbance and displacement of wildlife due to greater year-round recreational activity, greater wildlife-vehicle conflicts related to increasing road density and vehicle traffic, and degradation of habitat from invasive plants and wildfires. Housing development is expanding into rural areas that were once large, intact working ranches in valuable winter range, while areas considered summer range, fawning/calving habitat and migration corridors are seeing increased pressures as demand grows surrounding higher elevation resort communities.

CPW initiated the Colorado's Wildlife Habitat Program (CWHP) in 2006. CWHP is an incentive-based, voluntary program that accomplishes strategic wildlife conservation goals and/or public access goals using conservation easements, public access easements and in some cases fee title purchases. From the program's inception in 2006 through 2021, CPW has invested approximately \$184,400,000 across Colorado to secure 260,000 acres in conservation easements, 125,000 acres in public access, and 30,300 acres in fee title purchase. CWHP funding comes from Habitat Stamp fees, Great Outdoors Colorado and occasionally from federal funding sources. The Habitat Stamp fee is a \$10 fee charged to a Colorado hunting or fishing license purchased by sportspeople 18-64 years of age. The interest in CWHP from private landowners continually exceeds funding resources available for land protection.

In addition, habitat is being fragmented, degraded and lost due to various forms of energy development. Development of rich natural resources such as oil shale and natural gas impacts vital big game winter ranges as these resources are typically found under rangeland habitat. Infrastructure and human activities associated with oil and gas development, including roads and railroads, also fragment, disturb or alter habitats including migration routes and movement corridors for big game. While impacts from renewable development are still being assessed, it is worth noting that the same landscape characteristics that often make sites suitable for solar facility siting, in particular (e.g., flat, unforested areas with southern exposures), contribute to landscape functionality as winter habitat and movement routes for big game species. Due to current federal requirements for security fencing to protect solar infrastructure, the installation of large-scale solar projects typically result in a complete loss of habitat for big game and other wildlife species, and can preclude occupancy, movement and habitat restoration efforts for decades.

Concerns of noxious weeds establishing within native rangeland habitats have long been a priority for restoration by CPW. With climate change impacts and the increase in frequency and size of wildland fires this threat has expanded over the last decade. Cheatgrass and other noxious weed invasion into sagebrush habitats threaten the quality of wildlife habitat including winter range forage.

Many of Colorado's major roadways are in low-lying areas (such as canyons, waterways and riparian corridors) that are important big game winter range and movement corridors. The network of roads built across Colorado cause direct and indirect habitat loss and fragmentation that create temporary or permanent movement barriers to wildlife species that attempt to cross in order to access food and habitat resources or for breeding and dispersal needs. Wildlife-vehicle collisions (WVCs) can have detrimental consequences to both humans and wildlife when animals attempt to cross roadways. Recently, Colorado Department of Transportation (CDOT) and CPW co-funded two studies to identify priority road segments (top 5%) most in need of future mitigation to reduce wildlife-vehicle conflicts. The West Slope Wildlife Prioritization Study (WSWPS)⁵ and the East Slope and Plains Wildlife Prioritization Study⁶ (ESPWPS) identified 185 miles on 48 road segments and 289 miles on 93 road segments, respectively. CPW and CDOT with other conservation partners have established the Colorado Wildlife Transportation Alliance to coordinate efforts to reduce wildlife-vehicle collisions and to increase permeability across Colorado's highways.

⁵ Kintsch, J., P. Basting, M. McClure and J.O. Clarke. 2019. Western Slope Wildlife Prioritization Study. Report to Applied Innovation and Research Branch Colorado Department of Transportation, Denver, CO.

⁶ Kintsch, J., P. Basting, T. Smithson and G. Woolley. CDOT-2022003: Eastern Slope and Plains Wildlife Prioritization Study, Colorado Dept. of Transportation (2022).

To help assess future impacts and conservation activities, CPW is currently conducting a comprehensive statewide movement and range analysis of ungulate GPS-collar data. Over 4.9 million GPS-collar data points for mule deer, elk, pronghorn and bighorn sheep were compiled for the analysis. This information will help identify herd level migration and movement habitat, potential pinch points and stopover areas and conservation actions to maintain landscape permeability.

During the summer of 2022, BLM Colorado released a notice of intent to amend all resource management plans (RMPA) regarding big game conservation of important habitats and corridors on BLM-administered land and mineral leases. CPW is a cooperating agency in the RMPA process. At the time of this report BLM was accepting scoping comments.

#1 Colorado Landscape Priority Area: Bears Ears and White River (Northwest Colorado)

The northwest corner of Colorado is home to two of the largest migratory mule deer and elk herds in Colorado and the western United States. The Bears Ears and White River priority landscape encompasses all of the mule deer Data Analysis Units (DAU) D-2 (Bears Ears) and D-7 (White River) and elk DAU E-2 (Bears Ears), and contains a significant portion of E-6 (White River) and a small portion E-10 (Yellow Creek) (Figure WC1.1). The Bears Ears DAU is subdivided into seven Big Game Management Units (GMU), consisting of GMUs 3, 4, 5, 14, 214, 301 and 441. Whereas the White River DAU consists of GMUs 11, 12, 13, 22, 23, 24, 131, 211 and 231. For elk, this priority landscape primarily focuses on DAU E-2 and E-6; E-10 is addressed in more detail in the Book Cliffs landscape priority section.

The Bears Ears and White River mule deer and elk herds combined are estimated at 75,000 – 80,000 deer and 65,000 – 70,000 elk. A significant portion of each herd migrates 60 to 70 miles in spring and fall, some of the longest migrations documented in Colorado. The migratory pattern is primarily east-west, with summer ranges in the upper reaches of the Yampa and White River drainages near the Continental Divide and winter ranges west to within about 30 miles of the Colorado-Utah state line. These herds are of high state importance, as they comprise approximately 21% of all deer on the western slope of Colorado and 25% of elk in Colorado.

Elk populations within these two herds are very robust and provide hunting opportunities for nearly 55,000 hunters annually from across the country. However, mule deer herds in these two herd units, like many other deer herds across the west, have been steadily declining over the past several decades. The White River (D-7) deer herd in particular has experienced a significant decline in the last 10-12 years, with a two-thirds reduction in the

size. Once the nation's largest, with population estimates over 100,000 deer in 2005 to roughly only 32,000 today.

Spatial Location

These adjacent herd units are located within the Yampa and White River drainages between the Colorado-Wyoming state line and the White-Colorado River drainage divide (Figure WC1.1).




Figure WC1.1. Bears Ears and White River landscape priority area in northwest Colorado. The area encompasses all of the mule deer DAU D-2, D-7 and elk DAU E-2, and a significant portion of elk DAU E-6 and the northeast portion of E-10.

Mule deer winter range in this priority area is shown in Figure WC1.2, with areas of the highest density of wintering deer shown in the darkest color. Mule deer migratory patterns derived from Brownian bridge analysis of GPS-collared deer are presented in Figure WC1.2. Elk winter range and migration patterns are shown in Figure WC1.3.




Figure WC1.2. Mule deer winter ranges and migration corridors based on Brownian bridge movement analysis in the Bears Ears (D-2) and White River (D-7) herds.




Figure WC1.3. Elk winter ranges and migration corridors based on Brownian bridge movement analysis in the Bears Ears (E-2) and White River (E-6) herds.

Habitat Types

The varied topography and elevations in the Bears Ears and White River herd units contribute to differences in habitat across the area. Generally, vegetation types range from the montane/subalpine zone in the eastern and central areas at higher elevations to

mountain shrub-dominated vegetation at middle elevations, and sagebrush shrublands and pinyon-juniper woodlands within the Great Basin zone at the lower elevations in the southern, western and northwestern portions of the herd units.

Spruce-fir and aspen stands characterize the Montane/subalpine zone. Depending on the degree of canopy closure and resultant understory of grasses and forbs, the spruce-fir areas represent moderate to good summer and fall forage for mule deer and elk. Aspen groves and associated meadows provide high quality forage from spring through fall. The Flat Tops Wilderness is known for its expansive meadows interspersed with spruce/fir stands. Aspen habitat is also extremely important as fawning areas for mule deer and calving areas for elk, especially when there is sufficient understory.

Mountain shrub zone vegetation consists of native grasses and Gambel oak interspersed with mountain big sagebrush. Also common are serviceberry, mountain mahogany and chokecherry. This zone, roughly from 6,500 to 8,500 feet (ft) in elevation, is very important for both food and cover. The lower half of the zone serves as a large portion of the traditional elk winter range in all but the most extreme winters. Mule deer use the lower fringe of this zone, and the sagebrush steppe at lower elevations for winter range.

Sagebrush steppe and grasslands dominate the Great Basin Zone, occurring generally below 6,500 ft. This zone is used primarily as winter range by mule deer and elk although there are some smaller bands of both species using these areas year-round. Pinyon-juniper stands are most prevalent on northern aspects of higher ridges throughout this zone. Pinyon-juniper is an important winter cover and provides limited winter forage. In areas where sufficient irrigation water exists, sagebrush fields have been converted for hay production of alfalfa or grasses such as timothy or orchard grass.

During the late 1980s and mid 1990s large scale burns across much of the winter range have converted habitats dominated by bitterbrush, sagebrush, and pinyon-juniper to grassland habitats. These areas served as critical mule deer winter range prior to the burns, but were converted into large expanses of grasslands suitable for elk but less attractive to mule deer. Wetland/riparian vegetation types are found along the river bottoms and associated irrigated meadows. Most notable is the Yampa River corridor running first north, then east to west across the northern portion of the priority area. The White River runs east to west through the southern portion of the area. Narrowleaf cottonwood and willow dominate most of the riparian areas, which are extremely valuable wildlife habitats, supporting the greatest abundance and diversity of wildlife species.

Migration and Movements

As demonstrated in Figures WC1.2 and WC1.3, the migratory patterns for mule deer and elk are substantial in both migratory distance and the proportion of each herd migrating

seasonally. Initial findings suggest that some migration movements tend to occur quickly and with limited use of migratory stopovers. However, further analysis is needed to identify important stopover areas within the migration corridors.

Landownership

The Bears Ears and White River priority area contain large blocks of public lands interspersed with private land holdings (Figure WC1.4). The combined area encompasses 6,992 square miles consisting of the following land ownership proportions: Private lands (45%), BLM (28%), USFS (24%), State Land Board (SLB - 4%), and CPW State Wildlife Areas (<1%, approximately 35 mi²). There are over 100,000 acres of easements held in combination by CPW and other land trust organizations (Figure WC1.6).

Land Uses

The federal lands within the White River and Bears Ears herd units not designated as Wilderness are managed under a multiple-use policy. The Mount Zirkel Wilderness occurs in the eastern portion of the Bears Ears unit and the Flat Tops Wilderness falls within the southeastern segment of the White River unit. Common uses outside of the wilderness areas include livestock grazing, motorized and non-motorized recreation, and extractive energy development. Mule deer and elk migrate through parcels that have been leased for oil and gas production and active open pit coal mining operations. Private lands in the herd units are primarily used for agricultural purposes and rural residential development.

Several coal mines on privately owned parcels have reached their life expectancy and are transitioning towards obtaining bond release. Some of these acreages are being sold to developers interested in rural residential development. This major change in land use for the area is starting to have a significant impact on both mule deer and elk habitat, particularly winter range in these units.

Hunting for both big and small game is a principal business in this priority area. Hunting directly contributes over \$43 million annually to the economy of Moffat, Routt, Rio Blanco and Garfield counties with an additional \$37 million in secondary expenditures (1990 estimates). Hunters can pursue elk, deer, pronghorn, bear, mountain lion, rabbits, waterfowl and three species of grouse in the priority area.




Figure WC1.4. Surface landownership across the Bears Ears and White River landscape priority area.

Risk/Threats

The Bears Ears and White River landscape priority area faces many of the threats identified for big game populations across the west, these include: development pressures associated with human population growth; increased recreation pressures; climate-influenced drought, catastrophic events, and habitat alteration; loss of native vegetation; energy and mineral development; incompatible livestock management practices; and transportation impacts. Some of these risks are operating over the long-term; others like rural residential development are more immediate. Winter ranges in this priority area are heavily utilized by big game wildlife and domestic livestock. Severe drought conditions in 2018 decreased forage quantity and quality, exacerbating a longer term concern that key shrubs used as winter forage by big game are in relatively poor condition over significant portions of the priority area. The 2018 drought was followed by a winter of heavier than average snowfall in 2018-19, which placed additional pressure on winter range vegetation. While moisture conditions in the summer of 2019 improved, 2020 and 2021 saw severe to

extreme drought conditions, followed by a slight improvement in 2022 to moderate summer drought conditions. The low moisture affects winter range shrubs, which remain in poor condition over extensive areas within the Bears Ears and White River priority area. Drought influences persist even with the occasional slight increase in moisture.

Northwestern Colorado contains some of the richest oil, gas, oil shale and coal reserves in the state. While current energy commodity prices and relatively high cost of production have reduced the pace of oil and gas development since 2009, it is expected to ramp up quickly when natural gas prices rise. Impacts from renewable development are still being assessed, however it is worth noting that the same landscape characteristics that often make sites suitable for solar facility siting, in particular (e.g., flat, unforested areas with southern exposures), contribute to landscape functionality as winter habitat and movement routes for big game species. Due to current federal requirements for security fencing to protect solar infrastructure, the installation of large-scale solar projects typically result in a complete loss of habitat for big game and other wildlife species, and can preclude occupancy, movement and habitat restoration efforts for decades.

Rural residential development is proceeding at a rapid pace in several areas within the priority area. Wintering and migrating animals in this priority area are exposed to three highways (U.S. Hwy 40, CO Hwy 13, and CO Hwy 64) that bisect the long migratory path. Annual mortality of mule deer from vehicle collisions in the area is estimated to be approximately 2% of each herd (equal to approximately 1,600 deer annually). Elk mortality is lower but still substantial. Efforts to improve highway safety on any of the 3 highways would devastate these migratory paths if done without proper design and installation of highway crossing infrastructure.

Conservation Actions

Continued diligence from the BLM and the USFS in avoiding, minimizing, and mitigating the negative effects of land use developments, including recreation, on migrating and wintering deer and elk will be critically important. It is important for CPW to collaborate with land managers, industry and local governments to develop best practices to minimize impacts to wildlife and habitats from future solar developments. Counties, municipalities, and non-governmental organizations also have a role to play in properly designing and implementing land use practices within the priority area. Limitations on the timing and intensity of recreational activity on winter ranges and within migration and movement areas will be especially valuable in reducing impacts on big game.

CPW has completed a comprehensive program of monitoring and research within this priority area and has made substantial steps to implement habitat enhancement and land protection measures. The greatest future need in this priority area is funding to implement additional habitat enhancement, conservation easement acquisition, and highway

permeability with appropriately designed crossing projects. Funds allocated to this priority area would contribute to an existing landscape-scale mule deer and elk management program with a demonstrated record of success. Currently planned habitat enhancement in this priority area consists of multiple projects involving prescribed fire, mechanical treatment of pinyon-juniper woodlands and mesic mountain shrub stands through roller chopping, hydro-ax mastication, understory enhancement on rangelands and abandoned dryland agricultural fields through reseeding or interseeding with diverse seed mixes including sagebrush and other shrubs and practices to reset succession or otherwise improve forage quality, quantity, and/or availability of forage to migrating or wintering big game. Available habitat enhancement funds will be exhausted in 2021, leaving approximately \$400,000 in unmet funding needed for currently planned work.

Current Conservation Efforts

In response to declining deer numbers in western Colorado, CPW implemented the WSMDS beginning in 2014. The goal of the WSMDS is to work in concert with key publics and stakeholders to stabilize, sustain, and increase mule deer populations in western Colorado, and in turn, increase hunting and wildlife-related recreational opportunities. CPW has focused considerable management efforts on the Bears Ears and White River herds.

Since 2001, CPW has monitored mule deer survival in the White River herd. This management study has allowed managers to identify critical winter ranges and migratory routes within the herd unit. In 2012, a similar management study was initiated in the Bears Ears herd unit. These two studies have provided managers with valuable insights to inform management decisions.

In addition to the survival studies, managers have also been very active in implementing landscape scale habitat treatments (Figure WC1.5). Significant acreage has been treated across the Bears Ears and White River priority landscape to enhance habitat quality for big game, but this acreage constitutes only a small portion of this landscape. The objective of this landscape scale work is to increase the ratio of forage to cover available for big game, primarily mule deer and elk. Over the last 10 years, CPW managers have removed or modified over 100 miles of barbed wire and woven fence with almost 50 more miles of problem fence identified. CPW has received grant funding in association with SO 3362 from the National Fish and Wildlife Foundation (NFWF) Restore grant to complete pinyon-juniper reduction work and fence removal. Half of the work has been done to date with 579 acres of mechanical pinyon-juniper reduction and 40 miles of fence removal finished; the remaining portions of the project will be completed in the coming year.




Figure WC1.5. Habitat treatments implemented in the Bears Ears and White River landscape priority area.

CPW initiated an additional project to assess big game use and response to these landscape-scale treatments. This project is ongoing and will provide managers with critical temporal and spatial data to evaluate the use of current habitat treatments and help guide future habitat improvement efforts and strategies across the landscape.

In addition to these management studies, CPW has implemented several research projects to identify potential factors limiting these herds. CPW recently completed a 10-year research project in the Piceance Basin (the southwestern portion of the White River herd unit) to assess the effects of oil and gas development on mule deer migration and to evaluate the effectiveness of industry best management practices in alleviating these effects. CPW is also concluding a research project in a portion of the same area to assess the effects of large carnivore predation on neonate survival of mule deer fawns. Additional research is underway to identify causes of reduced elk recruitment within the Bears Ears and White River priority areas. This work is being conducted by CPW's Mammals research unit with funding support from the Rocky Mountain Elk Foundation (RMEF), Habitat Partnership Program (HPP), and a local landowner.

Unlike many places in Colorado, the landscapes within these two herd units are relatively open, intact and undeveloped. This provides a unique opportunity to protect these landscapes through conservation easements if funding were available. Since the inception of the program in 2006, the Bears Ears and White River priority area has been a focus for big game and sage-grouse habitat protection. In just this priority landscape area, there has

been over \$70 million spent in funding for land protection across almost 120,000 acres. This work has been completed with many partnerships and funding sources including land trusts, federal funding, local governments, private land donations, NGOs, GOCO, and CWWP funds (Figure WC1.6). This does not account for the additional thousands of acres that have been protected beyond the boundary of the priority landscape and the additional habitat protections that are still needed.




Figure WC1.6. Conservation easements across the Bears Ears and White River landscape priority area.

Wintering and migrating animals are exposed to three highways (U.S. Hwy 40, CO Hwy 13, and CO Hwy 64) that bisect the priority area. The results of the WSWPS identified 90 miles of highway across the 3 highways as high priority segments for wildlife mitigation. U.S. Hwy 40, leading east and west from the town of Craig, has been selected by CDOT and CPW as one of the top highways for mitigation in the state. Currently on CO Hwy 13 near the Wyoming border, CDOT is completing the Fortification Creek project that will direct wildlife to an underpass crossing using wildlife exclusion fence and two at-grade crossings with 4 foot low-fence segments to allow animals to cross the highway where driver sight distance is more favorable. These low-fence sections create a large animal crosswalk between segments of high-fence. At the northern low-fence segment a radar wildlife detection system (WDS) will be installed to alert motorists of wildlife approaching or crossing the highway. Escape ramps and Zap-Crete deterrent mats are also being installed. On the southern end of CO Hwy 13 north of the town of Rifle, just beyond the landscape priority boundary, three wildlife underpasses and associated infrastructure are planned for construction.

As mentioned previously, BLM is in the top two for landownership within the Bears Ears and White River priority landscape. BLM owns over one million acres in the identified area, and the most BLM lands within the five priority areas. As a cooperating agency on the BLM RMPA to conserve big game habitat and migration corridors, CPW will work with BLM to identify threats to big game populations and develop appropriate conservation actions to sustain big game herds in Colorado.

While all of these studies have provided wildlife managers with important data for informed management decisions, they have also identified the need to secure funding to continue working at a scale that will maintain the functional integrity of the landscapes in which these large migratory big game herds operate. VHF and GPS-telemetry studies conducted in these two herds to date have demonstrated that wildlife managers need to apply management actions such as habitat treatments, highway crossings, and the protection of important seasonal habitats through conservation easements at a landscape scale to adequately conserve these large and highly migratory herds.

Cost of Conservation Actions

The landscape-scale need for habitat treatments, conservation easements, and highway mitigation infrastructure necessary to improve and maintain the Bears Ears and White River winter range and migration areas cost millions of dollars. CPW is conducting approximately 2,000 acres of habitat enhancement with our federal and local partners annually within this priority area but there is a large backlog of identified projects for which funding has not been acquired. CPW could implement an additional 1,500 to 2,000 acres of habitat enhancement annually within this area, if sufficient funding was available. These enhancement projects cost approximately \$250/acre, and 2,000 additional acres of habitat enhancement would cost approximately \$500,000 annually. CWHP brings approximately \$11 million or more each year to the purchase of conservation easements that protect wildlife habitat values but those funds are spread across the state and the program is extremely competitive. Properties within this priority area do consistently rank high in annual allocation. Easements are generally multi-million dollar expenditures, so the need for additional funding is essentially endless. Highway crossing infrastructure projects can range from a few to tens of millions of dollars. CPW contributed \$200,000 towards the design of the CO Hwy 13 Fortification Creek highway underpass and an additional \$200,000 towards the innovative radar wildlife detection system. Detailed assessment of several key highway segments commenced in 2019, but neither agency has secured funds for construction of structures in key crossing areas.

#2 Colorado Landscape Priority Area: San Juan Basin (Southwest Colorado)

The San Juan Basin priority area includes DAU D-30 and E-31 and includes GMUs 75, 77, 78, 751, and 771 (Figure WC2.1). Deer and elk migration and movement have been documented over the last 15 years through a combination of CPW, Southern Ute Indian Tribe (SUIT), and consultant studies (Figure WC2.2). The area is home to about 25,000 deer and 23,000 elk using several significant migration routes. This area contains the second largest deer herd in Colorado, and the third largest elk herd. This area has the added benefit of being multi-jurisdictional, with the majority of lands managed by the USFS, BLM, and SUIT, interspersed with private lands, and it contributes to big game movements crossing into New Mexico.

Spatial Location

The San Juan Basin is located in southwest Colorado. The southern boundary is the New Mexico state line, and the eastern and northern boundaries are the Continental Divide, with the Animas River being the western boundary.




Figure WC2.1. Location of the San Juan Basin landscape priority area in southwest Colorado. The area encompasses all of mule deer DUA D-30 and elk DAU E-31.

Migration and Movements

Recent studies by CPW, the SUIT, and WEST, Inc. utilizing GPS-collars have identified numerous discrete migration corridors and highway crossings areas for various segments of the San Juan deer and elk herds (Figure WC2.2). Previous VHF-collar studies demonstrated landscape scale connectivity but did not sufficiently identify corridors and movements.




Figure WC2.2. Composite map of multiple GPS-collar studies completed by CPW, SUIT, and WEST, Inc. Map contains data shared by Aran Johnson (SUIT) and Hall Sawyer (WEST, Inc).

Landownership

The San Juan Basin priority landscape is 60% public lands including BLM, CPW, SLB and UFFS (approximately one million acres), 30% private (approximately 550,000 acres) and 11% SUIT (approximately 200,000 acres), (Figure WC2.3). The landownership pattern shifts when you look at ownership only within winter range. Winter range is primarily privately owned (51%), (Table WC2.1). The SUIT owns 20%, and the remaining 28% of winter range is publicly managed.




Figure WC2.3. Surface landownership in the San Juan landscape priority area.

		Winter Range	Winter Concentration	Severe Winter Range	DAU
TOTAL	DAU Square miles	1295 (46%)	135 (5%)	779 (28%)	2795 (100%)
	BLM	26 (2%)	6 (4%)	12 (1%)	63 (2%)
	BOR	2 (<1%)	0	2 (<1%)	8 (<1%)
	CPW	1 (<1%)	0	1 (<1%)	2 (<1%)
	USFS	332 (26%)	25 (19%)	98 (13%)	1545 (55%)
Public Access		361 (28%)	31 (23%)	113 (15%)	1618 (58%)
	Southern Ute	264 (20%)	7 (5%)	183 (23%)	320 (12%)
	Private	663 (51%)	94 (70%)	480 (62%)	849 (30%)
	State of CO	7 (<1%)	3 (2%)	3 (<1%)	8 (<1%)
Private Access		934 (72%)	104 (77%)	666 (85%)	1177 (42%)

TABLE WC2.1 Land ownership in relation to deer and elk winter range in the San Juan Basin, Colorado.

Land Uses

The area has seen extensive exurban development in the last 20 years, replacing a primarily agricultural setting with rural residential developments. Few large landowners remain. The federal lands within the San Juan priority landscape not designated as wilderness are managed under a multiple-use policy. The Weminuche Wilderness makes up a large portion of the northern range of the priority area and the South San Juan Wilderness is on the eastern edge. Common uses outside of the wilderness areas include livestock grazing, motorized and non-motorized recreation, and extractive energy development. Extensive natural gas extraction, with associated road and pipeline corridors, has occurred on private, public and SUIT lands across the area. The exurban development and increased human population has stressed the local highway system with a high volume of high speed traffic through deer and elk habitat. Numerous wildlife crossings have been identified from previous telemetry collar studies, as well as through the WSWPS conducted jointly by CPW and CDOT.

Risk/Threats

Exurban development is occurring on much of the winter range and migration corridors in the San Juan Basin. Managers and the public are increasingly concerned over cumulative and prolonged impacts of this development disrupting big game migration and decreasing the quality and quantity of critical habitats. Development influences both the carrying capacity of the big game habitat and harvest management programs. Although development is a widespread issue, it is a considerably larger problem in portions of the San Juan Basin around the towns of Pagosa Springs, Bayfield, and Durango.

Winter range is already limited, and since it occurs at lower elevations and areas with the highest natural gas reserves it is also the habitat type that is most at risk from all forms of development. Deer and elk consume less and lose weight during the winter months and tend to conserve energy by limiting physical activity. Any disturbance that displaces deer or elk can cause them to use more energy during this vulnerable time. Such winter-time stress can lead to a higher risk of mortality, and may also negatively influence both reproduction success and fawn or calf survival later in the year.

As the primary land use in the San Juan area continues to transition from agricultural to rural residential, maintenance of connectivity between summer ranges and winter ranges located on public and tribal lands is a critical need. Also with the higher volume of vehicle traffic from the increase in residents and visitors, strategic placement of highway crossing structures and land protection through conservation easements will be required. The winter and transition ranges that remain intact must be maintained in the best condition possible. Opportunities for land protection are being lost to subdivisions.

Conservation Actions

CPW and partner organizations continue to seek conservation actions to maintain connectivity between deer and elk summer and winter ranges, with corridors for movement and safe passage across U.S. Hwy 160, CO Hwy 84 and U.S.Hwy 550. To help identify these migration corridors, deer and elk GPS-collar data from CPW, SUIT and WEST need to be analyzed as a single data set. This will allow for identification of key lands that provide important habitats and migration routes, where future conservation actions can be applied.

Current Conservation Effort

CPW, CDOT, SUIT, USFS, BLM are partners in various efforts. As a cooperating agency on the BLM RMPA to conserve big game habitat and migration corridors, CPW will work with BLM to identify threats to big game populations and develop appropriate conservation actions to sustain big game herds in Colorado. The recently completed WSWPS strategically mapped deer and elk high risk highway crossings across the western slope of Colorado, identifying the need for wildlife crossing areas. Forty miles of high priority highway segments within the San Juan priority landscape were identified for wildlife mitigation. In 2022, CDOT in partnership with SUIT, CPW, NFWF, Mule Deer Foundation (MDF), RMEF and Federal Highways Administration completed the third wildlife overpass in Colorado and a wildlife underpass along U.S. Hwy 160 east of Pagosa Springs. Prior movement data also identified this area as a migration corridor for deer and elk. There is also a potential for a future wildlife underpass between Durango and Bayfield on U.S. Hwy 160.

Cost of Conservation Actions

Due to the high cost of property in the San Juan Basin priority landscape, CPW has had limited opportunity to secure conservation easements. In addition, large scale habitat treatments and highway crossings infrastructure projects necessary to maintain the San Juan Basin deer and elk herds' network of migration corridors and important winter range are very costly, and will require several million dollars to complete.

#3 Colorado Landscape Priority Area: Uncompahgre Plateau (West-Central Colorado)

The Uncompahgre Plateau landscape priority area encompasses Colorado's D-19 deer and E-20 elk herds (Figure WC3.1). Within E-20, the elk herd is managed for a quality hunting experience in GMU 61 using limited allocations of licenses, and within GMU 62 the herd is managed for hunting opportunities, with more liberal license availability. Deer numbers have seen a long, steady decline from approximately 60,000 in 1980, to 11,000 in

2021. Elk numbers peaked in 2002 at just over 14,000 and have since declined to around 12,500 in 2021. These declines are the result of poor fawn/calf recruitment rates, which in turn could be attributed to persistent drought, habitat condition, forage competition, disease, human development, increasing recreational impacts, and predation.

Spatial Location

D19 and E20 are in west-central Colorado, south of Grand Junction, west of Montrose, and north of the San Miguel River (Fig WC3.1). Because of the valued wildlife resources on the Uncompahgre Plateau, the area has been the focus of multiple research projects on deer, elk, mountain lions, and bears.

Habitat Types

At elevations below approximately 6,500 ft near the Dolores, San Miguel, Uncompahgre and Gunnison Rivers, a high desert plant community is the predominant vegetation type. Important plant species of this community include four-wing saltbush, shadscale saltbush, black sagebrush, winterfat, broom snakeweed, rabbitbrush, greasewood, and, in the Gateway area, black brush. Elevations between approximately 6,000-7,500 ft, are characterized by pinyon pine and Utah juniper woodlands and grassland-shrub (e.g., basin big sagebrush, black sagebrush, Wyoming sagebrush, mountain big sagebrush, mountain mahogany, Indian ricegrass). The pinyon-juniper type covers approximately 40% of the Uncompahgre Plateau priority area and is the predominant plant community. From approximately 7,500 to 8,500 ft, ponderosa pine and mountain shrub (e.g., Gambel oak, serviceberry, mountain mahogany, mountain big sagebrush, silver sagebrush, and snowberry) are the dominant vegetation type. Elevations above 8,500 ft are generally characterized by aspen forests and a mixed spruce-fir complex (aspen, Douglas fir, subalpine fir and Engelmann spruce). Common plant species found in lowland riparian areas on the Uncompahgre Plateau include narrowleaf cottonwood, coyote willow, chokecherry, tamarisk, and boxelder. In higher elevation riparian areas, characteristic species include thinleaf alder, birches, willows, and blue spruce.




Figure WC3.1. Location of Uncompahgre Plateau landscape priority area in southwest Colorado. The area encompasses all of mule deer DAW D-19 and elk DAW E-20.

Agricultural areas and cultivated croplands within the DAW occur primarily in the Uncompahgre Valley between Montrose and Delta and in the other major river valleys surrounding the Plateau.

Migration and Movements

Migration on the Uncompahgre Plateau can take place over a day or two for some deer and elk. Spring migration may be slower if snow is persistent at higher elevations, but fall migration is usually quick. Some deer and elk that migrate south off of the Uncompahgre Plateau may take longer. The Horsefly Peak and the area around the Cornerstone subdivision may be a stopover or holdover area for migrating animals. More investigation into the timing and reasons for holdovers on private lands in this area need to be studied. Fall migration stopover may occur in the Gambel oak habitat if deer slow their movements to feed on acorns.

Landownership

Land ownership in DAU D-19 is 24% private, 38% BLM, 37% USFS, and 1% CPW and SLB (Figure WC3.2). Municipalities that border the DAU include Montrose, Delta, Olathe, Ridgway, Norwood, Nucla, Naturita, and Gateway.




Figure WC3.2. Surface landownership in the Uncompahgre Plateau landscape priority area.

Land Uses

Agriculture is one of the primary land uses within D-19, with irrigated farmland primarily along the edges of the DAU and extensive cattle and sheep grazing across public and private lands. Recreational activities including hunting, hiking, horseback riding, fishing, wildlife viewing, photography, four-wheeling, off-highway vehicle (OHV) use, snowmobiling, cross-country skiing, and mountain biking have always been part of the landscape. However, over the last 15 years OHV use and mountain biking have seen the greatest growth, as local communities support the development of mountain biking and

Jeep/OHV trails on nearby public lands to create destinations for recreation and to increase local revenue at the expense of wildlife populations. Additional land uses include mining and timber harvest. Historically, the area supported extensive mining for uranium, vanadium and coal, but currently gravel is the primary material being mined. Timber harvest has ebbed and flowed over the years, but currently there has been more prescribed and stewardship cutting taking place to improve forest health. Montrose is home to one of the largest timber mills in Colorado, processing trees from all over Colorado.

Risk/Threats

The Uncompahgre Plateau landscape priority area faces many of the threats identified for big game populations across the west, these include: development pressures associated with human population growth; increased recreation pressures; climate-influenced drought, catastrophic events, and habitat alteration; loss of native vegetation; energy and mineral development; forage competition; and transportation impacts. Some of these risks are operating over the long-term; others like rural residential development are more immediate and include habitat loss from development of golf courses and houses in migration corridors, winter range, and production areas.

Decreasing habitat quality from drought impacts are leading to poor shrub vigor, declining aspen health, pest and disease infestation to Douglas-fir and spruce fir communities and increasing noxious weeds. With on-going climate change impacts there is also a shift on winter ranges from cool season to warm season grasses, as well as decreasing shrub vigor and increasing grass understory. All of these stressors on forage availability lead to increased competition for forage between deer and elk as well as with livestock.

As in most areas across Colorado and other western states, the Uncompahgre Plateau priority area is experiencing an increase in recreational use, motorized and non-motorized users. This change has been noticed during CPW hunter check stations, where more non-consumptive recreational users are checked than hunters on opening day.

Old sheep allotment fences remain in many areas across the Uncompahgre Plateau priority area. Woven sheep fence inhibit and in some cases prohibit movement of ungulates, especially when located within fawning and calving habitat. Juvenile deer and elk cannot jump sheep fences and become susceptible to predation, abandonment and injury.

The recently completed WSWPS strategically mapped deer and elk high risk highway crossings across the western slope of Colorado, identifying the need for wildlife crossing areas. One segment along U.S. Hwy 550, south of Montrose, was identified in the top 5% of the WSWPS. CDOT has existing exclusionary fence in this area that hinders ungulate movement due to inadequate available crossing structures to facilitate deer and elk herd

movements. While fencing can protect drivers and wildlife from conflicts, it creates a barrier that inhibits wildlife movement if not combined with appropriately planned crossing infrastructure. As the human population in the area increases, mule deer migration and movement is inhibited by traffic along U.S. Hwy 550 and CO Hwy 62.

Conservation Actions

The threats within the Uncompahgre Plateau priority area are immediate and long-term. Habitat loss to development has been occurring and will continue to occur on private lands. Conservation easements have been used to protect private property, however, land values on the southern end of the priority area are very high, making acquisition cost prohibitive. Habitat quality could improve with more consistent precipitation, however, long term trends have been much drier than in previous decades even with winters of high snowpack. Additionally, while livestock and big game numbers across the Uncompahgre have decreased compared to historic high numbers, long term impacts on vegetation remain and important browse plants are especially slow to respond following the drought conditions observed over the last 20 years. In addition, chronic wasting disease was recently detected in the Uncompahgre Valley.

Continued diligence from the BLM and the USFS in avoiding, minimizing, and mitigating the negative effects of land use developments, including recreation, on migrating and wintering deer and elk will be critically important. It is important for CPW to collaborate with land managers, industry and local governments to develop best practices to minimize impacts to wildlife and habitats from future solar developments. Counties, municipalities, and non-governmental organizations also have a role to play in properly designing and implementing land use practices within the priority area. Limitations on the timing and intensity of recreational activity on public winter range and within migration and movement areas will be especially valuable in reducing impacts on big game. Also, CPW should assist USFS and BLM with closing roads and with developing educational materials for trail users about impacts to wildlife and habitat from trail use during critical times of the year.

Developing conservation easements to protect important winter range and maintain habitat connectivity and permeability are important for ungulate population longevity. Unfortunately, high and inflated property values in the Uncompahgre Plateau landscape priority area make it difficult to secure land protections on private lands. A critical parcel of private land to protect and maintain permeability for migrating deer and elk is located in the southern end of the priority area and north of Horsefly Peak. CPW can partner with other conservation partners, such as the Colorado West Land Trust, to increase focus to big game migration corridors and important winter ranges.

Additional projects include removing or modifying fencing to make fencing more wildlife friendly. Cooperation with landowners to replace or modify woven-wire fence with wildlife-friendly fence design would increase permeability for young deer and elk. Options include adding drop gates that can be opened after livestock move off range or breaks in woven wire in designated areas to allow deer and elk to pass under or over but restrict cattle movement.

It is important to continue to implement habitat treatments in or adjacent to key winter ranges as identified in CPW's WSMDS. Key outcomes from treatments will be improved sagebrush communities: decreased weeds, increased grass and forb diversity, decreased bare soils, and a possible shift from warm season winter range communities back to cool season grasses. NEPA is complete for the Dry Mesa and Escalante Canyon areas.

Current Conservation Efforts

CPW, CDOT, USFS, BLM, and private landowners are partners in various efforts across the Uncompahgre Plateau priority area. As a cooperating agency on the BLM RMPA to conserve big game habitat and migration corridors, CPW will work with BLM to identify threats to big game populations and develop appropriate conservation actions to sustain big game herds in Colorado.

The recently completed WSWPS strategically mapped deer and elk high risk highway crossings across the western slope of Colorado, identifying the need for wildlife crossing areas. One of the top 5% segments identified was the Billy Creek area south of Montrose. CDOT has plans to add an underpass north of the CPW Billy Creek State Wildlife Area. Although this project may facilitate movement of some deer, fencing around the private lands at the structure entrance may cause conflicts or impede use of the structure. Deer and elk are also known to move north-south across CO Hwy 62; there may be segments along this stretch that could also benefit from adequately sized crossing structures and associated infrastructure.

Projects in response to the WSMDS are being conducted in cooperation with the BLM, USFS, and MDF to improve habitat through pinyon-juniper thinning on winter ranges, seeding a recent large wildfire area, and improving pasture fencing on winter ranges. Key outcomes from treatments will be improved sagebrush communities: decreased weeds, increased grass and forb diversity, decreased bare soils, and a possible shift from warm season winter range communities back to cool season grasses.

Research is underway to identify causes of reduced elk recruitment plaguing southern Colorado. This work is being conducted by CPW's Mammals research unit with funding support from the RMEF, HPP and a local landowner.

Cost of Conservation Actions

CPW's WSMDS habitat improvement projects across the Uncompahgre Plateau have been taking place over the last few years. To date approximately \$375,000 has already been spent by CPW, SCTF, and GOCO to implement seeding on the Bull Draw fire and on mastication projects.

Many programs exist to implement conservation actions. Wildlife-friendly fencing programs cost approximately \$7,500/mile with a cost share at 50% (Figure WC3.3). Projects to work with BLM and USFS to sign closure areas to protect big game winter range would only cost about \$2,000 per year. Compared to conservation easements and fee title acquisition projects which can cost several to tens of millions of dollars to complete.

Habitat improvements within the Uncompahgre Plateau priority landscape are estimated to cost about \$150,000 per year to complete. One area that is cleared by NEPA is from Dry Mesa to Escalante Canyon. In addition, there are opportunities to improve the winter range for deer to meet objectives in the WSMDS within GMU 61. Funding to assist with completion of NEPA compliance would be beneficial and cost approximately.

CDOT is currently designing a project for fencing and an underpass near Billy Creek State Wildlife Area south of Montrose. The underpass would cost approximately \$700,000 for the structure and another \$250,000-\$300,000 for construction (Figure WC3.3).

Uncompahgre Plateau (D-19/E-20)




Figure WC3.3. Location of current and proposed mule deer habitat projects within the Uncompahgre Plateau landscape priority area.

#4 Colorado Landscape Priority Area: Piney River/State Bridge (Northwest Colorado)

The Piney River/State Bridge priority area includes approximately 40% of the State Bridge deer herd (DAU D-8) and all of the Piney River elk herd (DAU E-12). Specifically, the priority area includes GMUs 35, 36, and 361. At approximately 14,000 deer, the State Bridge deer herd is one of the ten largest herds on the western slope of Colorado. The Piney River elk herd includes approximately 3,700 animals. While both species are within CPW's long-term population objective for the herds, habitat carrying capacity has declined over recent decades, as both the quantity and quality of habitat have diminished due to land development, decreased precipitation, fragmentation by roads and trails, increased human activity on public lands, and suppression of large-scale wildfires.

Spatial Location

The Piney River/State Bridge landscape priority area is located in north-central Colorado. The area occurs in northern Eagle and southwestern Grand counties and is bounded on the north by the Colorado River and on the south by the Eagle River and Interstate 70 (I-70). The eastern boundary reaches alpine habitat along the Gore Range, which traverses south to Vail Pass. I-70 passes through the mountain ski town of Vail in the east and several additional mountain towns, including Avon and Eagle (Figure WC4.1). The Piney River/State Bridge priority area is approximately 620 square miles in size.

Mule deer and elk winter range is concentrated in the central and western portions of the priority area. The Piney River/State Bridge priority area occurs at relatively high elevation. Snowfall is heavy and persistent for many months in most years. Consequently, south-facing slopes at lower elevations in the central and western portions of the area are of critical importance. Approximately one third of the area provides suitable winter range for deer, and elk winter in about half of the priority area. Two thirds of the winter range is on public land, with the remaining third in private ownership. The highest density of wintering mule deer occurs along slopes lining the north side of the I-70 corridor and along CO Hwy 131. Elk winter use is greatest in the north-central portion of the priority area, with lower levels of use along the I-70 corridor and the Colorado River.

The majority of deer and elk in the priority area migrate from higher elevation summer range to these winter ranges in the fall and early winter and reverse the pattern in the spring. Unfettered access to these winter range areas is of critical importance, as deer and elk seek wintering ranges where snow depths are lower and winter temperatures are higher. Although there is a lack of deer and elk collar data to help detect migration corridors, land managers over the years have identified two key migration corridors. The first, and most significant, runs east to west along the north side of I-70. It is particularly important for deer. The second key area is associated with the Dowd Junction highway underpass at the eastern end of the priority area west of Vail.




Figure WC4.1. Location of the Piney River/State Bridge landscape priority area in northwestern Colorado. The area encompasses a portion of mule deer DAU D-8 and all of elk DAU E-12.

Maintenance of free movement to and from this underpass is of high importance for deer that summer south of I-70, but winter in the priority area to the north of the Interstate. Mule deer and elk winter range concentrations modeled from flight classification data are shown in Figures WC4.2 and WC4.3, respectively.

Habitat Types

Vegetation types in this unit are largely determined by elevation and aspect. Topography in the priority area is highly varied. The Gore Mountain Range, along the eastern boundary, has elevations in excess of 13,000 ft. Low-lying regions are found adjacent to the Colorado River, with an average elevation of just over 6,000 ft.




Figure WC4.2. Mule deer winter range density modeled from flight classification data in the Piney River/State Bridge landscape priority area.




Figure WC4.3. Elk winter range density modeled from classification flights in the Piney River/State Bridge landscape priority area.

Above approximately 12,500 ft, the mountain peaks in the Gore Range are mostly bare rock or alpine communities. Spruce-fir forest occurs between the elevations of 8,000 and 12,500 ft. Aspen and aspen-conifer mixes dominate the slopes from 7,000 to 8,500 ft. Mountain shrub communities occur primarily on lower slopes near 7,000 ft. In the western two-thirds of the area, pinyon-juniper woodland covers the foothills, and sagebrush parks appear on more level sites as elevation drops. Aspen is found mostly on sites that have been burned or disturbed within the past 150 years. Major vegetation categories are shown in Figure WC4.4.




Figure WC4.4. Major vegetation communities within the Piney River/State Bridge landscape priority area.

Migration and Movements

Specific migration routes in the Piney River/State Bridge priority area have not been mapped to the degree of specificity necessary to identify stopover areas. As noted in the Bears Ears/White River discussion above, detailed migration route mapping in

northwestern Colorado suggests that migrating deer and elk don't utilize stopover areas to the degree documented in other states.

Landownership

The Piney River/State Bridge priority area is 75% federal land (approximately 140,000 acres BLM and 160,000 acres of USFS lands) and 23% private land (93,000 acres), with the remainder owned by the CPW and other entities. CPW owns less than 1%, primarily along the Eagle River for fishing access and the Radium State Wildlife area in Grand County. The Eagle's Nest Wilderness makes up 13% of the priority area. The eastern half of the priority area is USFS, with BLM ownership predominant in the western half (Figure WC4.5).




Figure WC4.5. Surface landownership in the Piney River/State Bridge landscape priority area.

Land Uses

Land use is varied and diverse in the Piney River/State Bridge priority area. The main industries are tourism, outdoor recreation, ranching, construction, real estate and logging.

The local economy is strongly influenced by tourism. I-70 along the southern edge of the priority area, is the major east-west artery through Colorado's Rocky Mountains. The main tourist attractions in the vicinity are the Vail and Beaver Creek Ski areas, located just south of the priority area. These resorts have shifted recreational activity in recent years from winter-only ski areas to four-season resorts that draw visitors for a variety of outdoor recreational activities throughout the year. Increased recreational activity at these resorts has spilled over onto adjacent public lands beyond the ski resorts within the priority area as well. Over the past 10 years, the priority area has experienced rapid expansion of non-consumptive outdoor recreation activities, especially mountain biking and backcountry skiing, but also hiking, trail running, motor biking, ATV/UTV riding, snowmobiling, and horseback riding. The area also supports substantial wildlife-related recreation, including hunting and fishing.

Construction and real estate development and sales are also major industries in the area, and are fueled in part by the increase in recreational activity. Unfortunately, many of the new developments are located in mule deer and elk winter range. Approximately 30% of the winter range in the priority area is privately owned, much of which has already been developed or may be subject to residential and commercial land development in the future. Over the past 30 years, this development has been focused along the I-70 and CO Hwy 131 corridors. The density of residential development varies from suburban housing to larger exurban ranchettes.

Public land in the priority area is used for both cattle and sheep grazing, although livestock grazing on private lands has declined with the general decline in agriculture as lands are converted to residential use. The BLM administers all or part of 34 active grazing allotments in the priority area. Livestock use occurs primarily in the spring, summer, and fall. The USFS administers 8 active grazing allotments, occurring totally or partially in the priority area. The period of livestock use on the National Forest varies, but primarily occurs from late June through October. Grazing practices have changed greatly since the 1960s, such that impacts of livestock on the land are much less today than in the late 19th and early 20th centuries.

Other commercial land uses in the priority area include logging and mining. Commercial logging has occurred in several portions of the priority area in the past. The area's forests have experienced a significant bark beetle outbreak in recent years which has also contributed to a change in forest cover and has resulted in additional timber management activities. The USFS has several active or future timber sales planned in these areas. Cinders are mined for making blocks and for road surfacing at the Dotsero volcanic site in the western portion of the priority area. Gypsum is mined just north of the town of Gypsum for the local wallboard plant. There have been several oil and gas wells drilled in the priority area since 1940, but most of these were not productive.

Risk/Threats

The most significant threats to deer and elk in this priority area are the rapid expansion in the intensity and duration of year-around recreational activity and the associated increase in residential and commercial development. Both lead to reduction in the amount and quality of winter range, as well as the ability of deer and elk to migrate successfully to and from these winter ranges. As noted above, the Piney River/State Bridge priority area occurs at relatively high elevation and receives considerable snowfall that persists through a long winter season. Consistent access by deer and elk to south-facing slopes within the priority area, particularly the ability of deer to reach and winter on the slopes within a few miles north of I-70, is critical to the conservation of these herds.

The incidence of wildlife-vehicle collisions along I-70 has been high in the past, leading to the installation of exclusionary fence along many miles of the interstate in the priority area to increase safety to the traveling public. While adequate escape ramps have been constructed to allow animals to exit the fenced right of way, no wildlife crossing structures have been constructed in this area, with the exception of the Dowd Junction deer crossing culvert built in 1969 west of Vail. This structure is inadequate in size and fencing to successfully pass most animals, and there is human disturbance from the paved pedestrian path that runs near the structure. There are several large span bridges that provide some crossing opportunities under the interstate east of Vail, but they lack exclusionary fence to direct animals to crossings and they were not located within the most important movement areas. CO Hwy 131 bisects high-density deer winter range north of I-70 and Wolcott and contributes to a high number of deer mortalities. Traffic volume along this highway is relatively low, but is likely to increase as the level of recreation and residential development increases. This segment of highway connects residents and visitors from Steamboat Springs with the west slope of Colorado and I-70.

There are both long-term and immediate components to the threats facing wintering and migrating deer and elk in the Piney River/State Bridge priority area. The intensity and duration of recreational activity is increasing rapidly year by year. The White River National Forest is the most visited forest in the National Forest system. Rapidly developing mountain bike designs and increased prevalence of off-highway vehicles are expanding the ability of people to reach formerly remote and inaccessible wildlife habitats year-round.

Residential and commercial development associated with local ski areas has been occurring for more than 40 years and has accelerated in recent decades. Much of this development has occurred on privately owned winter range. Several large ranches, particularly in the eastern portions of the priority area, have been purchased by owners who intend to maintain the properties in an undeveloped state. Few are protected by

conservation easements, but they have served to conserve key habitats nonetheless. This shift of private land away from production agriculture has moderated the effect of livestock grazing on large areas of private land, and on federal lands to a lesser degree, but winter range habitat condition in the priority area is still depressed through the persistent degradation caused by historic grazing practices and the successional effects of long-term fire suppression.

Conservation Actions

Several actions may be successful in reducing or eliminating these threats. First and foremost, continued diligence from the BLM and the USFS in avoiding, minimizing, and mitigating the negative effects of land use developments, including recreation, on migrating and wintering deer and elk will be critically important. Counties, municipalities, and non-governmental organizations also have a role to play in properly designing and implementing land use practices within the priority area. Limitations on the timing and intensity of recreational activity on publicly owned winter range will be especially valuable in reducing impacts on big game. In addition, to having adequate personnel to enforce regulations and rules.

Protection of privately owned migration areas and winter ranges through the implementation of conservation easements will also benefit conservation of limited winter ranges in the priority area. Unfortunately, land value in the priority area is high and rising, adding to the costs of conservation easements with each passing year.

Identification and construction of strategically designed and located highway crossing structures could conserve, and in some cases restore, permeability for migrating wildlife. This will be particularly important along CO Hwy 131, as the highway bisects deer winter range and traffic volumes continue to increase.

Habitat enhancement to counteract the lingering effect of historic cattle and sheep grazing practices and to reset vegetative succession to improve forage quality for wintering deer and elk would benefit both species. Potential treatment practices include prescribed fire, mechanical removal or thinning of pinyon-juniper woodland, timber and beetle-kill management, mechanical mastication or roller-chopping of mountain shrub communities, understory restoration, and management/restoration of the soil water table and wet meadow/seep areas.

Current Conservation Efforts

CPW participates with the BLM, the USFS, and local governments, as appropriate, to evaluate and comment on land use proposals, including the application of timing limitations, identification of best management practices, and development of mitigation

proposals. As a cooperating agency on the BLM RMPA to conserve big game habitat and migration corridors, CPW will work with BLM to identify threats to big game populations and develop appropriate conservation actions to sustain big game herds in Colorado. CPW also partners with BLM and others to conduct habitat management projects in the priority area to improve habitat for greater sage-grouse and forage for big game. Most of these projects have involved the mechanical removal of pinyon-juniper woodland. BLM has also begun to work on water table restoration projects in downcut ephemeral water courses.

CPW and CDOT recently completed the WSWPS; a limited number of segments along I-70 between Eagle and Gypsum and west of Dotsero were identified in the top 5% of highway segments in need of mitigation. CDOT is currently working on projects near the town of Vail. Design is complete on a project to replace and increase the length of the exclusion fence near the Dowd Junction box culvert. CDOT is also currently in final design to add six wildlife underpasses under I-70 between the town of Vail and Vail Pass. The construction of a large and a medium sized underpass designed for elk and deer passage, in addition to four smaller underpasses for species such as lynx, bear and mountain lion is planned to begin in 2024. The project will include approximately ten miles of wildlife exclusion fence; this fence will tie into 5 existing large span-bridges, making for a total of 11 crossing structures from the town of Vail to the top of Vail Pass. This will be the first comprehensive crossing structure project completed on I-70 in Colorado. There is also an interagency group led by Eagle County to assess highway safety and wildlife permeability needs in the county. One of the priority areas they identified is along CO Hwy 131 south of State Bridge.

Cost of Conservation Actions

Protection of winter range and migration corridors on private lands through conservation easements or fee title acquisition would be an effective method of ensuring long-term conservation of non-federal land habitat. However, CPW has not completed any conservation easements in the Piney River/State Bridge priority area because of the lack of feasibility due to the high cost of land.

Highway crossing structures are similarly expensive especially when improving permeability for ungulates across a four to six lane interstate in mountainous terrain. The cost per structure could run in the several to tens of millions of dollars.

Habitat enhancement may be a more feasible action; however the average cost for pinyon-juniper removal or understory restoration habitat treatments is approximately \$250/acre. Therefore, habitat enhancement of 5,000 acres (approximately 4% of winter range in the priority area) would cost a minimum of \$1,250,000.

#5 Colorado Landscape Priority Area: Book Cliffs (West-Central Colorado)

The Book Cliffs landscape priority area includes all of the Book Cliffs deer herd (DAU D-11) and western portions of the Yellow Creek elk herd (DAU E-10) within 1,757 square miles. The priority area provides habitat for approximately 8,600 mule deer and perhaps 5,000 elk. Specifically, the priority area includes GMUs 21 and 30. Much of GMU 21 and northern portions of GMU 30 are public land managed by the BLM. The Book Cliffs deer herd is below the long-term population objective established by CPW. The elk population is above the current long-term objective, but elk populations on public land portions of the priority area are frequently lower than desired. Both species migrate in elevation in both the fall and spring. BLM lands provide important winter range for both species, and portions of each herd also migrate relatively long distances annually, including movement into the state of Utah for the winter months. Habitat carrying capacity has declined over recent decades, as both quantity and quality of habitat have diminished due to extensive oil and gas development, fragmentation by roads and trails, increased human activity on public lands, drought and suppression of large-scale wildfires.

Spatial Location

The Book Cliffs priority area is located in west-central Colorado. It lies to the northwest of Grand Junction along the Colorado-Utah state line (Figure WC5.1). It is bounded on the north by the White River, on the south by the Colorado River, and on the east by the high ground of the Cathedral Rim. The priority area occurs in Mesa, Garfield and Rio Blanco counties.

The Book Cliffs priority area contains approximately 1,150 square miles of suitable winter range (Figure WC5.2). Lower elevation lands across the priority area comprise the most important winter range for both deer and elk. Favorable snow depths, slope and aspect, and winter temperatures create accessible forage and make these areas suitable for wintering big game. Elk are generally found at higher elevations than deer due to their ability to forage in deeper snow conditions. However, during severe winters, both deer and elk are forced to winter at the lower elevations. The majority of deer and elk in the priority area winter on public lands, as approximately 91% of the winter range occurs on public land. The remaining 9% of the winter range is held by private landowners. Important private land wintering areas are found within the lower drainages.





Figure WC5.1. Location of the Book Cliffs landscape priority area in northwestern Colorado. The area encompasses all of mule deer DAU D-11 and the western portion of elk DAU E-10.

Two principal migration patterns occur in the priority area. A portion of deer and elk move to the south side of the priority area and winter on the Book Cliffs slopes above the valley floor, or drop into the valley, depending on winter conditions. This tends to be a relatively short-distance movement pattern. On the north side of the priority area, similar movements in elevation between summer and winter range occur, but a portion of the deer and elk demonstrate longer-distance, directional seasonal migration. This movement pattern is to the west and northwest, with a significant proportion of both deer and elk wintering on adjacent areas in Utah.



Location of Mule Deer DAU D-11 (GMUs 21, 30), West-central Colorado showing Deer Winter Range, Severe Winter Range, and Winter Concentration Areas.

Figure WC5.2. Winter range in the Book Cliffs landscape priority area.

Habitat Types

Topography varies greatly in the Book Cliffs priority area. The highest elevations are at the center of the area at the top of the Book Cliffs. Elevations decrease to the north and south from there. The highest elevation in the priority area is approximately 9,300 ft. The lowest elevation is approximately 4,600 ft and occurs in the southwestern corner of the priority area, where the Colorado River meets the Utah state line. The Book Cliffs area is noted for canyon country in the south and rolling pinyon-juniper, sagebrush, and mountain shrub steppe in the north.

Steep-sided sandstone and shale canyons are dominant geographic features of this priority area. The Book Cliffs are a generally continuous, uniformly high cliff formation with canyons and washes running north to south toward the Colorado River. In the upper reaches of GMU 30, large canyons bisect the topography at frequent intervals. The interior portions of the priority area are composed of mesas and rolling sagebrush hills. Terrain is less fragmented and more open in these interior areas.

Vegetation within the Book Cliffs priority area varies across the wide range of elevations and aspects that occur. At lower elevations along drainages, irrigated lands composed

primarily of grass/alfalfa meadows are common. At lower elevations away from the drainages, vegetation is typical of most semi-arid regions in western Colorado. Saltbush, sagebrush, and greasewood are common shrub species found in these open desert areas. Cheatgrass dominates the understory in many areas in the desert. Pinyon-juniper woodlands are common on the lower and intermediate slopes throughout the priority area. Gambel oak is found mixed with pinyon-juniper woodland at higher elevations. A combination of sagebrush and snowberry are commonly found in open areas in the Gambel oak zone at intermediate and higher elevations. Higher elevations, which receive considerably more moisture, are dominated by stands of aspen and Douglas fir, sagebrush steppe, and serviceberry-dominated shrublands. Often, the aspen and fir are found in pockets, rather than in large, continuous forested areas. Vegetative communities grade into each other in response to slope, aspect, and moisture, forming a mosaic pattern across the landscape. Extensive crop production of corn, wheat, alfalfa, beans, and onions occurs in the Grand Valley. These crop fields are used by deer and elk principally during the winter months, although some deer use the fields throughout the year.

Migration and Movements

Specific migration routes in the Book Cliffs priority area have not been mapped to the degree of specificity necessary to identify stopover areas. As noted in the Bears Ears/White River discussion above, detailed migration route mapping in northwestern Colorado suggests that migrating deer and elk don't utilize stopover areas to the degree documented in other states.

Landownership

The Book Cliffs priority area contains a mixture of public and private lands. Approximately 81% of the priority area is in public ownership. The vast majority of the priority area (80% or 905,000 acres) is managed by the BLM, 0.4% is managed by CPW, 0.2% is managed by the SLB and 19% is privately owned (Figure WC 5.3). BLM lands in the priority area are managed by the Grand Junction and White River Field Offices, located in Grand Junction and Meeker, respectively. The land managed by CPW falls within the Square S Summer Range tract of the Piceance State Wildlife Area.




Figure WC5.3. Surface landownership in the Book Cliffs landscape priority area.

Land Uses

Livestock production is a predominant land use throughout the priority area. Much of the private land is used to graze livestock throughout the year. Cattle and sheep graze on BLM lands during various seasons of the year. Livestock are generally grazed on allotments during the summer and then moved to home ranches for the winter, but some grazing also occurs on BLM lands during the winter months. Most domestic grazing is by cattle. Historically, domestic sheep were grazed in significant numbers, but are now limited to a few small flocks.

Crop production is limited to specific regions within southern portions of the priority area, but plays a significant role in wildlife management. The Grand Valley area around Grand Junction and Fruita is extensively irrigated and farmed.

Significant oil and natural gas resources underlie portions of the Book Cliffs landscape priority area, particularly in the northern half of the area. Extensive development has occurred in the Douglas Creek drainage basin. While the field remains in production, the pace of development has fallen sharply since 2009. An increase in the price of natural gas could accelerate these activities.

The Book Cliffs priority area experienced a great deal of human population growth over the past 20 years, primarily in the Grand Valley and along I-70. The majority of new housing developments built outside city limits have occurred in deer winter range, fragmenting former sagebrush and agricultural lands. The area north of Grand Junction is undergoing rapid conversion of agricultural lands to exurban and suburban housing developments.

Outdoor recreation is extensive across the priority area, which provides excellent backcountry hiking, biking, and OHV opportunities. Vehicular access varies across private and public lands. A network of roads provides ample access to many areas that are open to multi-purpose land uses. Big game hunting is a major recreational activity in the priority area in the fall. Fishing is limited to some of the larger perennial streams and to several public and private reservoirs.

Commercial timber harvest is limited to small blocks and occurs primarily on private land. Some Douglas fir has been harvested in recent years. Most of this harvest occurs in rugged canyon areas in the northern part of the priority area. Aspen has also been harvested, sometimes as part of other land management practices including habitat management for big game wildlife. Some firewood is harvested, both commercially and privately.

Risk/Threats

Livestock grazing is extensive across the Book Cliffs priority area. The arid nature of the priority area requires careful management to ensure that livestock grazing is done in a manner consistent with maintaining land health standards. Vegetation in the priority area, particularly within deer range, has been intensively managed to produce livestock forage, often to the detriment of shrubs important as deer winter forage. Natural fire has been suppressed in the priority area for many decades, and pinyon-juniper encroachment into sagebrush communities is a significant concern in some areas. Pinyon-juniper encroachment may be impacting wildlife populations by reducing palatable forage suitable for deer.

There are no designated BLM Herd Management Areas managed for feral horses in the area, but hundreds of feral horses have been documented there. The BLM has conducted round-ups of them in the last few years. The areas used by horses overlap with mule deer and elk winter range, winter concentration areas, and severe winter range. These areas are

critical to the sustainability and resilience of these wild ungulate herds and the high levels of non-designated horse use contribute directly to habitat degradation in the Book Cliffs.

Intensity of outdoor recreation activity is increasing in the priority area. Fruita has become a destination mountain biking area where new trail complexes have been pioneered in recent years. Off road vehicle activity on federal lands has also increased substantially.

Oil and gas production is currently at a relatively low level but could increase quickly with a change in the market price of natural gas. Oil and gas developments can affect big game wildlife in several ways. One is the direct disturbance on and immediately surrounding drill pads due to development and production activities on the drill pad, increased human activity, and habitat displacement. Indirect disturbance effects also extend into adjacent undeveloped areas and can alter deer use patterns in these habitats. Additionally, the necessary infrastructure to support oil and gas production, including roads and pipelines, fragment the landscape and contribute to an overall decline in habitat quality. Elk and deer tend to avoid areas of higher human activity, and thus can lose access to affected habitat. Both summer and winter ranges have been affected by past and present oil and gas development and production. Planned developments will likely be concentrated more heavily on winter ranges, increasing the impact of each development on wintering deer and elk.

While impacts from renewable development are still being assessed, it is worth noting that the same landscape characteristics that often make sites suitable for solar facility siting, in particular (e.g., flat, unforested areas with southern exposures), contribute to landscape functionality as winter habitat and movement routes for big game species. Due to current federal requirements for security fencing to protect solar infrastructure, the installation of large-scale solar projects typically result in a complete loss of habitat for big game and other wildlife species, and can preclude occupancy, movement and habitat restoration efforts for decades.

Increasing suburban and exurban residential development has occurred in some of the most productive habitat (irrigated agricultural fields) in the priority area. The resulting loss of deer and elk winter range is a significant and increasing concern.

CO Hwy 139 bisects the priority area, but has not been identified as a major risk factor for wildlife-vehicle collisions.

Increased recreation activities and suburban/exurban development are immediate threats in the Book Cliffs priority area. Vegetative effects of livestock grazing and effects of oil and gas development and production are long-term threats, so long as current energy market conditions prevail.

Conservation Actions

Several actions may be successful in reducing or eliminating these threats. First and foremost, continued diligence from the BLM in avoiding, minimizing, and mitigating the negative effects of land use developments, including recreation, on migrating and wintering deer and elk will be of critical importance. It is important for CPW to collaborate with land managers, industry and local governments to develop best practices to minimize impacts to wildlife and habitats from future solar development. Counties, municipalities, and non-governmental organizations also have a role to play in properly designing and implementing land use practices within the priority area. Limitation of the timing and intensity of recreational activity on publicly and privately owned winter range will be especially valuable.

Although private lands make up a small portion of the Book Cliffs landscape priority area, they constitute some of the most productive habitat. Protection of privately owned migration areas and winter ranges through conservation easements could benefit conservation of deer and elk in the priority area. Land value in the priority area is lower than in some of the mountain communities, and may help in leveraging conservation easement efforts.

Habitat enhancement to counteract the vegetative effects of domestic livestock grazing practices and to reset vegetative succession to improve forage quality for wintering deer and elk would benefit both species. Potential treatment practices include prescribed fire, mechanical removal or thinning of pinyon-juniper woodland, mechanical mastication or roller-chopping of mountain shrub communities, understory restoration, and management/restoration of the soil, water table and wet meadow/seep areas.

Current Conservation Efforts

CPW participates with the BLM and local governments, as appropriate, to evaluate and comment on land use proposals, including the application of timing limitations, identification of best management practices and development of mitigation proposals. CPW has also partnered with BLM and others to conduct habitat management projects in the priority area, particularly in the higher elevations along the eastern edge of the area. Most of these projects have involved the mechanical removal of pinyon-juniper woodland. CPW and CDOT have established a transportation alliance to coordinate efforts to reduce wildlife-vehicle collisions and to increase permeability across state highway corridors. At this time there are no statewide priority highway segments identified within the Book Cliffs landscape, however that does not preclude local efforts and actions from occurring.


Cost of Conservation Actions

Protection of winter range and migration corridors on private lands through conservation easements would be an effective method of ensuring long-term conservation of non-federal habitat. CPW has not completed any conservation easements in the priority area to date. Even with the relatively moderate cost of land in the area, purchased easements will be quite expensive. A single easement of sufficient size to be meaningful will cost several million dollars, depending on location and easement terms.


Habitat enhancement may be a more feasible action; however the average cost for pinyon-juniper removal or understory restoration habitat treatments is approximately \$250/acre. Therefore, habitat enhancement of 5000 acres (approximately 4% of winter range in the priority area) would cost a minimum of \$1,250,000.

Appendices

APPENDIX A: Colorado Big Game Winter Range and Migration Corridor Priority Landscapes for Secretarial Order 3362



Map1. SO3362 Priority Colorado landscapes with mule deer and elk winter range.



Map2. SO3362 Priority Colorado landscapes with surface landownership.

APPENDIX B: Department of the Interior Secretarial Order 3362: Improving Habitat Quality in Western Big-Game Winter Range and Migration Corridors

ORDER NO. 3362

Subject: Improving Habitat Quality in Western Big-Game Winter Range and Migration Corridors

Sec. 1 Purpose. This Order directs appropriate bureaus within the Department of the Interior (Department) to work in close partnership with the states of Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming to enhance and improve the quality of big-game winter range and migration corridor habitat on Federal lands under the management jurisdiction of this Department in a way that recognizes state authority to conserve and manage big-game species and respects private property rights. Through scientific endeavors and land management actions, wildlife such as Rocky Mountain Elk (elk), Mule Deer (deer), Pronghorn Antelope (pronghorn), and a host of other species will benefit. Additionally, this Order seeks to expand opportunities for big-game hunting by improving priority habitats to assist states in their efforts to increase and maintain sustainable big game populations across western states.

Sec. 2 Authorities. This Order is issued under the authority of section 2 of Reorganization Plan No. 3 of 1950 (64 Stat. 1262), as amended, as well as the Department's land and resource management authorities, including the following:

- a. Federal Land Policy and Management Act of 1976, as amended, 43 U.S.C. 1701, *et seq.*;
- b. U.S. Geological Survey Organic Act, as amended, 43 U.S.C. 31, *et seq.*;
- c. National Wildlife Refuge System Improvement Act of 1997, as amended, 16 U.S.C. 668dd *et seq.*; and
- d. National Park Service Organic Act of 1916, as amended, 54 U.S.C. 100101, *et seq.*

Sec. 3 Background. The West was officially “settled” long ago, but land use changes continue to occur throughout the western landscape today. Human populations grow at increasing rates with population movements from east and west coast states into the interior West. In many areas, development to accommodate the expanding population has occurred in important winter habitat and migration corridors for elk, deer, and pronghorn. Additionally, changes have occurred across large swaths of land not impacted by residential development. The habitat quality and value of these areas crucial to western big-game populations are often degraded or declining.

The Bureau of Land Management (BLM) is the largest land manager in the United States (U.S.) with more than 245 million acres of public land under its purview, much of which is found in Western States. The U.S. Fish and Wildlife Service (FWS) and National Park Service (NPS) also manage a considerable amount of public land on behalf of the American people in the West. Beyond land management responsibilities, the Department has strong scientific capabilities in the U.S. Geological Survey (USGS) that can be deployed to assist State wildlife agencies and Federal land managers. Collectively, the appropriate bureaus within the Department have an opportunity to serve in a leadership role and take the initiative to work closely with Western States on their priorities and objectives as they relate to big-game winter range and migration corridors on lands managed by the Department.

Consistent with the American conservation ethic, ultimately it is crucial that the Department take action to harmonize State fish and game management and Federal land management of big-game winter range and corridors. On lands within these important areas, if landowners are interested and willing, conservation may occur through voluntary agreements.

Robust and sustainable elk, deer, and pronghorn populations contribute greatly to the economy and well-being of communities across the West. In fact, hunters and tourists travel to Western States from across our Nation and beyond to pursue and enjoy this wildlife. In doing so, they spend billions of dollars at large and small businesses that are crucial to State and local economies. We have a responsibility as a Department with large landholdings to be a collaborative neighbor and steward of the resources held in trust.

Accordingly, the Department will work with our State partners and others to conserve and/or improve priority western big-game winter range and migration corridors in sagebrush ecosystems and in other ecotypes as necessary. This Order focuses on the Western States of: Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming. These States generally have expansive public lands with established sagebrush landscapes along with robust big-game herds that are highly valued by hunters and tourists throughout the Nation.

The Department has broad responsibilities to manage Federal lands, waters, and resources for public benefit, including managing habitat to support fish, wildlife, and other resources. Secretary's Order 3356, "Hunting, Fishing, Recreational Shooting, and Wildlife Conservation Opportunities and Coordination with States, Tribes, and Territories," (SO 3356) was issued on September 15, 2017. SO 3356 primarily focused on physical access to lands for recreational activities, particularly hunting and fishing. This Order is focused on providing access to big game animals by providing direction regarding land management actions to improve habitat quality for big-game populations that could help ensure robust big-game populations continue to exist. Further, SO 3356 includes a number of directives related to working with States and using the best available science to inform development of guidelines, including directing relevant bureaus to:

- a. Collaborate with State, tribal, and territorial fish and wildlife agencies to attain or sustain State, tribal, and territorial wildlife population goals during the Department's

land management planning and implementation, including prioritizing active habitat management projects and funding that contributes to achieving wildlife population objectives, particularly for wildlife that is hunted or fished, and identifying additional ways to include or delegate to States habitat management work on Federal lands;

b. Work cooperatively with State, tribal, and territorial wildlife agencies to enhance State, tribe, and territorial access to the Department's lands for wildlife management actions;

c. Within 180 days, develop a proposed categorical exclusion for proposed projects that utilize common practices solely intended to enhance or restore habitat for species such as sage grouse and/or mule deer; and

d. Review and use the best available science to inform development of specific guidelines for the Department's lands and waters related to planning and developing energy, transmission, or other relevant projects to avoid or minimize potential negative impacts on wildlife.

This Order follows the intent and purpose of SO 3356 and expands and enhances the specific directives therein.

Sec. 4 Implementation. Consistent with governing laws, regulations, and principles of responsible public stewardship, I direct the following actions:

a. With respect to activities at the national level, I hereby direct the BLM, FWS, and NPS to:

(1) Within 30 days, identify an individual to serve as the "Coordinator" for the Department. The Coordinator will work closely with appropriate States, Federal agencies, nongovernmental organizations, and/or associations to identify active programs focused on big- game winter range and/or migration corridors. The programs are to be organized and cataloged by region and other geographic features (such as watersheds and principles of wildlife management) as determined by the Deputy Secretary, including those principles identified in the Department's reorganization plan.

(2) Within 45 days, provide the Coordinator information regarding:

(i) Past and current bureau conservation/restoration efforts on winter range and migration corridors;

(ii) Whether consideration of winter range and corridors is included in appropriate bureau land (or site) management plans;

(iii) Bureau management actions used to accomplish habitat objectives in these areas;

(iv) The location of areas that have been identified as a priority for conservation and habitat treatments; and (v) Funding sources previously used and/or currently available to the bureau for winter range and migration corridor conservation/restoration efforts.

(3) Within 60 days, if sufficient land use plans are already established that are consistent with this Order, work with the Coordinator and each regional Liaison (see section 4b) to discuss implementation of the plans. If land use plans are not already established, work with the Coordinator and each regional Liaison to develop an Action Plan that summarizes information collected in section 4 (a) (1) and (2), establishes a clear direction forward with each State, and includes:

- (i) Habitat management goals and associated actions as they are associated with big game winter range and migration corridors;
- (ii) Measurable outcomes; and
- (iii) Budgets necessary to complete respective action(s).

b. With respect to activities at the State level, I hereby direct the BLM, FWS, and NPS to:

(1) Within 60 days, identify one person in each appropriate unified region (see section 4a) to serve as the Liaison for the Department for that unified region. The Liaison will coordinate at the State level with each State in their region, as well as with the Liaison for any other regions within the State. The Liaison will schedule a meeting with the respective State fish and wildlife agency to assess where and how the Department can work in close partnership with the State on priority winter range and migration corridor conservation.

(2) Within 60 days, if this focus is not already included in respective land management plans, evaluate how land under each bureau's management responsibility can contribute to State or other efforts to improve the quality and condition of priority big-game winter and migration corridor habitat.

(3) Provide a report on October 1, 2018, and at the end of each fiscal year thereafter, that details how respective bureau field offices, refuges, or parks cooperated and collaborated with the appropriate State wildlife agencies to further winter range and migration corridor habitat conservation.

(4) Assess State wildlife agency data regarding wildlife migrations early in the planning process for land use plans and significant project-level actions that bureaus develop; and

(5) Evaluate and appropriately apply site-specific management activities, as identified in State land use plans, site-specific plans, or the Action Plan (described above), that conserve or restore habitat necessary to sustain local and regional big-game populations through measures that may include one or more of the following: (i) restoring degraded winter range and migration corridors by removing encroaching trees from sagebrush ecosystems, rehabilitating areas damaged by fire, or treating exotic/invasive vegetation to improve the quality and value of these areas to big game and other wildlife;

- (ii) revising wild horse and burro-appropriate management levels (AML) or removing horses and burros exceeding established AML from winter range or migration corridors if habitat is degraded as a result of their presence;
- (iii) working cooperatively with private landowners and State highway departments to achieve permissive fencing measures, including potentially modifying (via smooth wire), removing (if no longer necessary), or seasonally adapting (seasonal lay down) fencing if proven to impede movement of big game through migration corridors;
- (iv) avoiding development in the most crucial winter range or migration corridors during sensitive seasons;
- (v) minimizing development that would fragment winter range and primary migration corridors;
- (vi) limiting disturbance of big game on winter range; and
- (vii) utilizing other proven actions necessary to conserve and/or restore the vital big-game winter range and migration corridors across the West.

c. With respect to science, I hereby direct the USGS to:

- (1) Proceed in close cooperation with the States, in particular the Western Association of Fish and Wildlife Agencies and its program manager for the Crucial Habitat Assessment Tool, prior to developing maps or mapping tools related to elk, deer, or pronghorn movement or land use; and
- (2) Prioritize evaluations of the effectiveness of habitat treatments in sagebrush communities, as requested by States or land management bureaus, and identified needs related to developing a greater understanding of locations used as winter range or migration corridors.

d. I further hereby direct the responsible bureaus and offices within the Department to:

- (1) Within 180 days, to update all existing regulations, orders, guidance documents, policies, instructions, manuals, directives, notices, implementing actions, and any other similar actions to be consistent with the requirements in this Order;
- (2) Within 30 days, provide direction at the state or other appropriate level to revise existing Federal-State memorandums of agreement to incorporate consultation with State agencies on the location and conservation needs of winter range and migration routes; and (3) Consult with State wildlife agencies and bureaus to ensure land use plans are consistent and complementary to one another along the entire wildlife corridor in common instances where winter range or migration corridors span jurisdictional boundaries.

e. Heads of relevant bureaus will ensure that appropriate members of the Senior Executive Service under their purview include a performance standard in their respective current or future performance plan that specifically implements the applicable actions identified in this Order.

Sec. 5 Management. I hereby direct the Deputy Secretary to take is responsible for taking all reasonably necessary steps to implement this Order.

Sec. 6 Effect of Order. This Order is intended to improve the internal management of the Department. This Order and any resulting reports or recommendations are not intended to, and do not create any right or benefit, substantive or procedural, enforceable at law or equity by a party against the United States, its departments, agencies, instrumentalities or entities, its officers or employees, or any other person. To the extent there is any inconsistency between the provision of this Order and any Federal laws or regulations, the laws or regulations will control.

Sec. 7 Expiration Date. This Order is effective immediately. It will remain in effect until its provisions are implemented and completed, or until it is amended, superseded, or revoked.

Secretary of the Interior

Date: